



## Safety Data Sheet according to GB/T 16483-2008

Page 1 of 8 .

LOCTITE LB 8008 C5-A ANTI SEIZE known as LOCTITE C5A  
CO BSE A/S 2.5LB.

SDS No. : 242144

V001.6

Revision: 28.08.2018

printing date: 19.02.2019

### 1. Identification of the substance/preparation and of the company/undertaking

**Product name:** LOCTITE LB 8008 C5-A ANTI SEIZE known as LOCTITE C5A CO BSE A/S 2.5LB.

**Intended use:** Lubricant

**Company name:**

Henkel (China) Investment Co. Ltd.  
No.928 Zhangheng Rd.  
201203 Pudong, Shanghai, P.R. China

China

Phone: +86-21-2891 8000

Fax-no.: +86-21-2891 5137

**Revision date:** 28.08.2018

### 2. Hazards identification

**Classification of the substance or mixture according to GB 13690-2009 (General rule for classification and hazard communication of chemicals):**

<u>Hazard Class</u>	<u>Hazard Category</u>
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Aspiration hazard	Category 1
Acute hazards to the aquatic environment	Category 2

**Label elements according to GB 15258-2009 (General rules for preparation of precautionary label for chemicals):**

**Hazard pictogram:**



**Signal word:**

Danger

<b>Hazard statement:</b>	H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H318 Causes serious eye damage. H401 Toxic to aquatic life.
<b>Prevention:</b>	P264 Wash hands thoroughly after handling. P273 Avoid release to the environment. P280 Wear protective gloves, eye protection, and face protection.
<b>Response:</b>	P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor. P302+P352 IF ON SKIN: Wash with plenty of water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P331 Do NOT induce vomiting. P332+P313 If skin irritation occurs: Get medical advice/attention. P362+P364 Take off contaminated clothing and wash it before reuse.
<b>Storage:</b>	P405 Store locked up.
<b>Disposal:</b>	P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

### 3. Composition / information on ingredients

**General description:** Mixture  
**Declaration of the ingredients according to GB 13690-2009:**

Hazard component CAS-No.	Content	GHS Classification
Calcium dihydroxide 1305-62-0	10- < 20 %	Skin corrosion/irritation 2; Dermal H315 Serious eye damage/eye irritation 1 H318 Acute hazards to the aquatic environment 3 H402
Copper 7440-50-8	10- < 20 %	Acute hazards to the aquatic environment 1 H400 Chronic hazards to the aquatic environment 3 H412

Only hazardous ingredients for which a classification according to GB 13690-2009 is already available are displayed in this table. For full text of the Hazard statements see section 16 "Other information".

### 4. First aid measures

<b>Skin contact:</b>	Rinse with running water and soap. Seek medical advice.
<b>Eye contact:</b>	Rinse immediately with plenty of running water (for 10 minutes). Seek medical attention if necessary.
<b>Inhalation:</b>	Move to fresh air. If symptoms persist, seek medical advice.

**Ingestion:** Rinse out mouth, drink 1-2 glasses of water, do not induce vomiting.  
Seek medical advice.

### 5. Fire fighting measures

**Hazardous combustion products:** Oxides of carbon, oxides of nitrogen, irritating organic vapors.  
Sulphur oxides

**Extinguishing media:** Carbon dioxide, foam, powder

**Fire-fighting method:** In case of fire, keep containers cool with water spray.

**Notice and measures for firing fighting:** Wear self-contained breathing apparatus and full protective clothing, such as turn-out gear.

### 6. Accidental release measures

**Emergency measures:** Avoid skin and eye contact.  
Do not let product enter drains.  
Ensure adequate ventilation.

**Clean-up methods:** For small spills wipe up with paper towel and place in container for disposal.  
For large spills absorb onto inert absorbent material and place in sealed container for disposal.

### 7. Handling and storage

**Notice for handling:** Use only in well-ventilated areas.  
Vapours should be extracted to avoid inhalation.  
Prolonged or repeated skin contact should be avoided

**Notice for storage:** Store in a cool, well-ventilated place.  
Store in original containers at 8-21°C (46.4-69.8°F) and do not return residual materials to containers as contamination may reduce the shelf life of the bulk product.

### 8. Exposure controls / personal protection

Hazardous components	GBZ 2.1-2007	ACGIH	NIOSH	OSHA
Copper	1 mg/m <sup>3</sup> PC-TWA Dust. 0.2 mg/m <sup>3</sup> PC-TWA Fume.	0.2 mg/m <sup>3</sup> TWA Fume. 1 mg/m <sup>3</sup> TWA Dust and mist.		none
Graphite	2 mg/m <sup>3</sup> PC-TWA Respirable dust. 4 mg/m <sup>3</sup> PC-TWA Total dust.	2 mg/m <sup>3</sup> TWA Respirable fraction.		none

**Engineering controls:** Use only with adequate ventilation.  
Local exhaust ventilation is recommended when general ventilation is not sufficient to control airborne contamination below occupational exposure limits.

**Respiratory protection:** Use only in well-ventilated areas.

**Eye protection:** Wear protective glasses.

**Body protection:** Wear suitable protective clothing.


**Hand protection:**

The use of chemical resistant gloves such as Neoprene or Natural Rubber is recommended. Please note that in practice the working life of chemical resistant gloves may be considerably reduced as a result of many influencing factors (e.g. temperature). Suitable risk assessment should be carried out by the end user. If signs of wear and tear are noticed then the gloves should be replaced.

**Other protection:**

The selection of PPE shall at least comply with "Law of the People's Republic of China on Prevention and Control of Occupational Diseases" and "Code of practice for selection of personal protective equipments" (GB/T 11651-2008).

**Pictograms for recommended PPE:**



**9. Physical and chemical properties**

Physical state:	paste	Appearance:	copper paste
<b>pH:</b>	Not applicable	Melting point:	Not applicable
Boiling point:	> 260 °C (> 500 °F)	Density:	1.3 g/cm <sup>3</sup>
Flash point:	> 93 °C (> 199.4 °F)	Ignition temperature:	Not available.
Solubility in water	Insoluble	Viscosity:	Not available.

**10. Stability and reactivity**

<b>Stability:</b>	Stable under recommended storage conditions.
<b>Conditions to avoid:</b>	Stable under normal conditions of storage and use.
<b>Incompatible products:</b>	Oxidizing agents. Strong acids and strong bases.
<b>Decomposition products:</b>	Hydrocarbons. Oxides of carbon.
<b>Hazardous polymerization:</b>	Will not occur.

**11. Toxicological information**

**General toxicological information:**

No experimental toxicological data on the preparation as such is available.

**Other remarks:**  
Not available.

**Acute toxicity:**

Hazardous components CAS-No.	Value type	Value	Route of application	Exposure time	Species	Method
Calcium dihydroxide 1305-62-0	LD50 LD50	> 7,340 mg/kg > 2,500 mg/kg	oral  dermal		rat rat	OECD Guideline 401 (Acute Oral Toxicity) OECD Guideline 402 (Acute Dermal Toxicity)
Copper 7440-50-8	LC50	> 5.11 mg/l	inhalation	4 h	rat	OECD Guideline 436 (Acute Inhalation Toxicity: Acute Toxic Class (ATC) Method)

**Skin corrosion/irritation:**

Hazardous components CAS-No.	Result	Exposure time	Species	Method
Calcium dihydroxide 1305-62-0	irritating	4 h	rabbit	OECD Guideline 404 (Acute Dermal Irritation / Corrosion)

**Serious eye damage/irritation:**

Hazardous components CAS-No.	Result	Exposure time	Species	Method
Calcium dihydroxide 1305-62-0	Category 1 (irreversible effects on the eye)		rabbit	OECD Guideline 405 (Acute Eye Irritation / Corrosion)

**Germ cell mutagenicity:**

Hazardous components CAS-No.	Result	Type of study / Route of administration	Metabolic activation / Exposure time	Species	Method
Calcium dihydroxide 1305-62-0	negative	bacterial reverse mutation assay (e.g Ames test)	with and without		OECD Guideline 471 (Bacterial Reverse Mutation Assay)
Copper 7440-50-8	negative	bacterial reverse mutation assay (e.g Ames test)	with and without		OECD Guideline 471 (Bacterial Reverse Mutation Assay)
Copper 7440-50-8	negative negative	oral: gavage		mouse rat	EU Method B.12 (Mutagenicity OECD Guideline 486 (Unscheduled DNA Synthesis (UDS) Test with Mammalian Liver Cells in vivo)

## 12. Ecological information

**General ecological information:**

Do not empty into drains / surface water / ground water.

**Ecotoxicity:**

No data available for the product.

**Other adverse effects:**  
Not available.

**Toxicity:**

Hazardous components CAS-No.	Value type	Value	Acute Toxicity Study	Exposure time	Species	Method
Calcium dihydroxide 1305-62-0	LC50	50.6 mg/l	Fish	96 h	Oncorhynchus mykiss	OECD Guideline 203 (Fish, Acute Toxicity Test)
Calcium dihydroxide 1305-62-0	EC50	49.1 mg/l	Daphnia	48 h	Daphnia magna	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
Calcium dihydroxide 1305-62-0	EC50	184.57 mg/l	Algae	72 h	Pseudokirchneriella subcapitata	OECD Guideline 201 (Alga, Growth Inhibition Test)
Calcium dihydroxide 1305-62-0	NOEC	48 mg/l	Algae	72 h	Pseudokirchneriella subcapitata	OECD Guideline 201 (Alga, Growth Inhibition Test)
Calcium dihydroxide 1305-62-0	EC20	229.2 mg/l	Bacteria	3 h	activated sludge of a predominantly domestic sewage	OECD Guideline 209 (Activated Sludge, Respiration Inhibition Test)
Copper 7440-50-8	LC 50	> 0.1 - 1 mg/l	Fish	96 h	not specified	OECD Guideline 203 (Fish, Acute Toxicity Test)
Copper 7440-50-8	NOEC	> 0.1 - 1 mg/l	Fish	28 d	not specified	OECD Guideline 210 (fish early lite stage toxicity test)
Copper 7440-50-8	EC50	> 0.1 - 1 mg/l	Daphnia	48 h	Daphnia magna	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
Copper 7440-50-8	EC50	> 0.1 - 1 mg/l	Algae	72 h	not specified	OECD Guideline 201 (Alga, Growth Inhibition Test)
Copper 7440-50-8	NOEC	> 0.1 - 1 mg/l	Algae	72 h	not specified	OECD Guideline 201 (Alga, Growth Inhibition Test)
Copper 7440-50-8	EC50	> 0.1 - 1 mg/l	Bacteria	3 h	activated sludge	OECD Guideline 209 (Activated Sludge, Respiration Inhibition Test)

**Persistence and degradability:**

Hazardous components CAS-No.	Result	Route of application	Degradability	Method
Copper 7440-50-8	Rapidly degradable	not specified	> 60 %	OECD 301 A - F

**13. Disposal considerations**

**Product disposal:**

Dispose of in accordance with local and national regulations.  
Not list in National Hazardous Waste Catalogue, dispose of as normal chemical waste.

**Disposal of uncleaned packages:** After use, tubes, cartons and bottles containing residual product should be disposed of as chemically contaminated waste in an authorised legal land fill site or incinerated.

## 14. Transport information

**Road transport ADR:**

Not dangerous goods

**Railroad transport RID:**

Not dangerous goods

**Marine transport IMDG:**

Class:	9
Packing group:	III
UN no.:	3082
Label:	9
EmS:	F-A ,S-F
Seawater pollutant:	Marine pollutant
Proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Copper)

**Air transport IATA:**

Not dangerous goods

**Notice For Transportation:**

Transport according to local and national regulations. Ensure containers will not leak, collapse, or being damaged when transported. DO NOT transport with incompatible materials. Transportation vehicle should be equipped with right fire-fighting equipment in case of emergency. Avoid solarization, drenched and high temperature when transported.

## 15. Regulatory information

The following laws and regulations lay down provisions in terms of chemicals safety use, storage, transportation, loading/unloading, classification as well as symbol.

“Law of the People's Republic of China on Work Safety” (Adopted by the 28th meeting of 9th NPC standing committee on 29th June 2002, revised by 10th meeting of 12nd NPC standing committee on 31st Aug 2014).

“Law of the People's Republic of China on the Prevention and Treatment of Occupational Diseases” (Adopted by the 24th meeting of 9th NPC standing committee on 27th October 2001, revised by 21st meeting of 12nd NPC standing committee on 2nd Jul 2016).

“Law of the People's Republic of China on environmental protection” (Adopted by 11st meeting of 7th NPC standing committee on 26th December 1989, revised by 8th meeting of 12nd NPC standing committee on 24th Apr 2014).

“Regulation on the Safety Management of Hazardous Chemicals” (Adopted by 32nd State Council executive meeting on 4th December 2013).

“Regulations on License to Work Safety” (Adopted by 54th State Council executive meeting on 29th July 2014).

**China Inventory of Existing Chemicals:**

All components are listed or are exempt from Inventory of Existing Chemical Substances in China.

## 16. Other information

**Issue date:** 19.02.2019  
**Issue department:** Regulatory Affairs

**Disclaimer:**

This Safety Data Sheet has been generated in accordance with Chinese law only. It provides information on the chemical product in the aspects of safety, health, environment, etc, recommending preventive and protective measures and countermeasures in case of emergency. The information contained herein does not constitute a guarantee concerning the properties of the material. No warranty or representation of any kind is given with respect to the substantive or export laws of any other jurisdiction or country. Please confirm that the information provided herein conforms to the substantive export or other law of any other jurisdiction prior to export. Please contact Henkel Product Safety and Regulatory Affairs for additional assistance. This information is based on our current level of knowledge and relates to the product in the state in which it is delivered. It is intended to describe our products from the point of view of safety requirements and is not intended to guarantee any particular properties. The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.

**Others:**

**The full text of all abbreviations indicated by codes in this safety data sheet section 3 are as follows:**

H315 Causes skin irritation.  
H318 Causes serious eye damage.  
H400 Very toxic to aquatic life.  
H402 Harmful to aquatic life.  
H412 Harmful to aquatic life with long lasting effects.